



GAR's Quality Soluble Foliar Products

HYE 2-18-40 GREEN



WATER SOLUBLE CRYSTAL CONCENTRATE

GUARANTEED ANALYSIS

Total Nitrogen (N)	2.00%
2.0% Nitrate nitrogen	
Available Phosphate (P ₂ O ₅)	18.00%
Soluble Potash (K ₂ O)	40.00%
Sulfur (SO ₄)	8.00%
Magnesium (Mg)	0.50%
Boron (B)	0.04%
Copper (Cu)	0.10%
Manganese (Mn)	0.10%
Zinc (Zn)	0.10%

Derived from monopotassium phosphate, potassium nitrate, potassium sulfate, magnesium sulfate, sodium borate, copper sulfate, manganese sulfate, and zinc sulfate.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-gtpros.com>

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

**KEEP OUT OF REACH OF CHILDREN
CAUTION: HARMFUL IF SWALLOWED**

GENERAL INFORMATION

Hye-Green 2-18-40 is a water-soluble foliar fertilizer containing various micronutrients important to healthy plant development. It should be mixed with water prior to application and may be used in conjunction with pesticide sprays except lime sulfur and highly alkaline spray materials.

MANUFACTURED FOR:



8246 S. Crawford Ave Reedley, CA 93654
Emergency Phone • Daytime (559) 638-6311
Evening & Weekends • (559) 908-9884

LOT NUMBER

**NET WEIGHT
25 LBS (11.3 KG)**

FOUNDING MEMBER



The rates given under DIRECTIONS FOR USE should be adjusted according to the crop stage of development, the number of applications intended, and soil and weather conditions. If only a single application is intended or when soil and weather conditions are unfavorable for crop growth, higher rates are recommended. *Lower rates are recommended when leaf area is small, new growth exists or on new plantings.* For best results, applications should begin as soon as the leaves are large enough to absorb and utilize the nutrients and should continue at 10-14 day intervals during the primary growth period.

Hye-Green 2-18-40 can be used in crop protection sprays with a minimum volume of 20 gallons of spray per acre by ground and 5 gallons of spray per acre by air; however, the concentration of **Hye-Green 2-18-40** solution should not exceed 20 pounds in 100 gallons of water. *Avoid spraying during full bloom; except citrus. When spraying blossoms, use lower rates.* Do not store under excessive hot or cold temperatures for long periods. May be corrosive to mild steel and brass.

READ ENTIRE LABEL BEFORE USE

DIRECTIONS FOR USE

FIELD AND VEGETABLE CROPS (such as Alfalfa, Beans, Broccoli, Carrots, Cauliflower, Corn, Cotton, Cucumbers, Lettuce, Onions, Peas, Peppers, Sorghum, Sugarbeets, Tomatoes and Wheat): Apply **Hye-Green 2-18-40** at 5-20 lbs. per acre in sufficient water to cover foliage when plants are 3 to 4 weeks old and repeat as needed.

CITRUS & AVOCADOS: Apply **Hye-Green 2-18-40** at 5-20 pounds per acre in sufficient water to cover. Make applications at pre-bloom stage, when fruit is sizing, and after harvest. FOR NON-BEARING TREES, apply at 2-5 lbs. per acre in sufficient water to cover foliage.

NUTS: Apply **Hye-Green 2-18-40** at 5-20 pounds per acre in sufficient water to cover. Apply to mature trees. FOR NON-BEARING TREES, apply at 2-5 lbs. per acre in sufficient water to cover foliage.

GRAPE: Apply **Hye-Green 2-18-40** at 5-20 pounds per acre in 50-100 gallons of water. FOR NON-BEARING VINES, apply at 2-5 lbs. per acre in sufficient water to cover foliage.

STONE & POME FRUIT: Apply **Hye-Green 2-18-40** at 5-10 pounds per acre in sufficient water to cover. Make applications at pre-bloom stage, when fruit is sizing, and after harvest. FOR NON-BEARING TREES, 2-5 lbs. per acre in sufficient water to cover foliage.

CONDITIONS OF SALE AND WARRANTY: Gar Tootelian, Inc. (GTI) warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated when used in accordance with the use directions under normal conditions. GTI neither makes, nor authorizes any agent or representative to make, any other warranties, express or implied, including fitness or merchantability. The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, presence of other materials, or other influencing factors, all of which are beyond the control of GTI. Buyer and user acknowledge and assume all risks and liability resulting from the handling, storage and use of this material not in strict accordance with directions given herewith. In no case shall GTI be liable for consequential, special, indirect, or incidental damages or losses resulting from the handling or use of this product. The foregoing is a condition of sale by GTI and is accepted as such by the Buyer.